The Path to Home Guide **Bladder Surgery**

DAY OF SURGERY **DAY AFTER SURGERY**

DAY AFTER SURGERY

DAYS AFTER SURGERY UNTIL DISCHARGE


Breathing Exercises



















Pain Control










Nutrition










ubes and Drains











Hôpital général juif Jewish General Hospital





Office d'éducation des patients Patient Education Office



FINANCÉ PAR / FUNDED BY Réseau de cancérologie Rossy

Rossy Cancer Network

Adapted with the permission of the MUHC Patient Education Office. © copyright 5 June 2018, McGill University Health Centre. Reproduction in whole or in part without express written permission from patienteducation@muhc.mcgill.ca is strictly prohibited.



This material is also available through the MUHC Patient Education Office website www.muhcpatienteducation.ca

The Path to Home Guide Bladder Surgery

DAY OF SURGERY DAY AFTER SURGERY

2 DAY AFTER SURGERY

3 DAYS AFTER SURGERY UNTIL DISCHARGE

Breathing Exercises

• Do breathing exercises

Do breathing exercises

Do breathing exercises

Do breathing exercises

Activities

Do leg exercises
Sit in a chair with
help

- Sit in a chair for meals
- Walk in the hallway 3 times per day, with help
- Be out of bed for a total of 4 hours
- Sit in a chair for meals
- Walk in the hallway 3 times per day, with help if necessary
- Be out of bed for a total of 6 hours
- Sit in a chair for meals
- Be out of bed for a total of 8 hours
- May go home on the 5th day after surgery

Pain Control

- May have an epidural infusion or PCA pump for pain
- Tell my nurse if pain reaches 4/10 on the pain scale
- May have an epidural infusion or PCA pump for pain
- Tell my nurse if pain reaches 4/10 on the pain scale
- Have epidural catheter or PCA pump removed if my pain is controlled
- Start taking pills for pain
- Tell my nurse if pain reaches 4/10 on the pain scale
- Take pills for pain
- Tell my nurse if pain reaches 4/10 on the pain scale

utrition

- Drink sips of water
- Chew gum for 30 minutes
- Drink liquids, including protein drinks
- Chew gum for 30 minutes, 3 times/day
- Drink liquids, including protein drinks
- Eat regular food as tolerated
- Chew gum for 30 minutes, 3 times/day
- Drink liquids, including protein drinks
- Eat regular food as tolerated
- Chew gum for 30 minutes, 3 times/day

Fubes and Drains

I may have:

- Oxygen mask or nasal prongs (removed today)
- Intravenous line
- Epidural catheter
- Urinary catheter
- Belly drain
- My urinary catheter may be removed today
- My intravenous fluid may be stopped today

If you have an ileal conduit:

- The enterostomal therapist nurse will show you how to empty your pouch
- My intravenous fluid will be stopped today
- My epidural catheter or my PCA pump will be removed and my pain will be managed with pills

If you have an ileal conduit:

 You will learn how to connect and disconnect your pouch from your night drainage system

If you have an orthotopic neobladder:

 Your doctor or nurse will irrigate your catheter My ureteral stents may be removed today

If you have an ileal conduit:

- Teaching about ileal conduit care
- Your urinary catheter may be removed today

If you have an orthotopic neobladder:

- Your doctor or nurse will show you how to irrigate your catheter
- My belly drain may be removed today